

Septal troubles x 2

Konstantin Schwarz PhD FRCP Sankt Pölten University Hospital. Austria

Septal trouble 1



82m NSTEMI TnT 3600 Crea 1.47, eGFR 49

EF45%, hypokinesis inf 130kg

CABG vs PCI

- > PCI RCA CTO and LAD





Antegrade subintimal...



Retrograde via septal

(after GE assisted predilation of two very tight mLAD lesions inbetween aneurysmatic segments)

reverse wiring via dual lumen mc, exchange to caravelle (soft as "ectatic distal septals")...







.... sion black, suoh03, sion, FXTR...several, not able to navigate inside septals, each time removed and destroyed...



.... GCE assisted exchange over sion from caravelle to corsair pro XS and pulling out the loop...



IVUS guided PCI w IVL to LAD few days later



360° mc loop – a challenge to wiring







Trouble 1

- 1. Beware 360° tight loops in microcatheters!
- 2. Wire shaft damage
- 3. Early mc straightening if possible





Septal trouble 2

53m

Ant STEMI - PPCI to LAD

Returns for complete revasc of RCA « CTO »

Looks simple ante channel?

Single guide

...but soon clear fibrotic honeycomb like no channel, all ante wires distally subintimal in FL







- Retro not easy, multiple septals, multile wires, finally such03 success
- Difficult distal septal crossing with mc
- rCART with gaia3







Despite trapping of retro wire in ante guide & good predil in vessel – very difficult to bring the tip of retro mc into ante GCE (no calcium but very fibrotic tissue?), few tip in tried – no success



Retro gaia 3 left in ante GEC (untrapped) and retro mc exchanged to turnpike LP



Turnpike LP success into ante GCE and externalisation on RG3 and routine PCI then...



On removal of retro gear: septal branch perforation



Entirely asymptomatic, hemodynamically stable.



I did not like it... so coiled 2x from septal retro and from antegrade septal 2x



No more retro septal flow, but still ante septal flow...

...despite 10min PDA balloon tamponade ... left conserative (no pericardial effusion)



Basal septum: "punched out hole"





Overnight monitored, stable, discharged next day



Four weeks follow up:

"feels great, better than before, keen to start rehab soon"









Summary

1. Beware of tight loops in microcathteters



2. Beware of slicing septum while exchanging microcatheters on stiff shaft wires (not only during externalisation)



